



Motorhomes Catalogue 2023-24





RIMOR



World sweet home

The world is your new address

Let new discoveries and adventures get your imagination started. With Rimor, the whole world is now your home. We have been building motorhomes and vans for over 40 years, taking inspiration from the place closest to us to make sure you're as comfortable as possible. Functional and welcoming, spacious and comfortable, vehicles that are a true expression of design and all-Italian production.

Rediscover freedom of movement at the seaside and in the mountains, in the city and the countryside. With Rimor motorhomes and vans you'll feel at home, wherever you choose to go.

Your compass

Find the Rimor that suits you best with our handy map

How to find the vehicle that best reflects your idea of outdoor life and turn it into reality? Get help with this handy map. You can choose the Rimor range that best meets your needs, quickly comparing the number of beds available, the number of homologated seats, the total length of the vehicle and the engine.

legend



low-profil



overcab



number of models



outside length



certified seats



berths

KILIG

Engine
Ford Transit

Displacement
2,0 L



↔ from 5953
to 7338 mm



from 4
to 5



from 2
to 4



↔ from 5953
to 7308 mm



from 4
to 6



from 4
to 6

SEAL

Engine
Fiat Ducato

Displacement
2,2 L



↔ from 6450
to 7443 mm



from 4
to 6



from 3
to 6



↔ from 6483
to 7353 mm



from 4
to 6



from 6
to 6+1

EVO

Engine
Ford Transit

Displacement
2,0 L



↔ from 6970
to 7338 mm



from 4
to 5



from 4
to 5



↔ 6970 mm



from 5
to 6



from 6
to 7

SUPER BRIG

Engine
Fiat Ducato

Displacement
2,2 L



↔ from 7173 to
7373 mm



4



4



↔ from 7173
to 7373 mm



4



4



Guided by experience

Comfort and functionality for all our models

Numerous ranges, loads more models, but many common features, starting with reliability and functionality, the result of construction techniques tested over time. Our choice of the best solutions to guarantee you maximum comfort is guided by our experience, all under the banner of Italian craftsmanship.

- **Motorhome living areas designed without a single step**
- **High-comfort tables that can be moved in all directions**
- **220/230 V outlets** in both the kitchen and the bathroom
- **New sliding blind with integrated fly-screen**
- **100% LED lighting**
- **Solid shower door** as standard (except on Kilig range)
- **Spacious beds, up to 220 cm long, with wooden slatted bases**
- **High-density comfort mattresses** with removable covers which are anatomical and hypo-allergenic
- **Overcab bed with pneumatic slatted base**
- **Side guard for high beds, bunk beds, drop-down beds and overcab beds**
- **Wall units with damper hinges**
- **10mA residual current circuit breaker**

KILIG



When your passion is synonymous with love

Every time will be like the first time

Kilig is an unbridled passion, like when you find yourself face to face with something you love deeply: a new destination, a panorama to remember or a companion of many adventures on the road. Kilig takes its name from a Philippine word that describes an all-embracing and gratifying feeling.

With Kilig you can have great fun every day. Starting from the quality/price ratio and the models designed for every need: models of less than 6 metres - Kilig 4 and 18 Plus, for maximum manoeuvrability and convenience when travelling by ferry, motorway and in parking places - and then there is the spacious comfort of Kilig 50 with two bunk beds and family-size dinette, Kilig 67 Plus, without fixed bed with XL front drop-down bed and walk-in wardrobe, and Kilig 66 Plus with central bed and face-to-face dinette. Can you already feel the butterflies in your tummy for your next trip? It's the Kilig effect.



Transverse bed

KILIG 4

KILIG 5

Bunk beds

KILIG 9

Double bunk beds

KILIG 50

Central bed

KILIG 669

Twin beds

KILIG 695



Transverse bed

KILIG 18 PLUS

Central bed

KILIG 66 PLUS

KILIG 69 PLUS

XL Front drop-down bed

KILIG 67 PLUS

Twin beds

KILIG 95 PLUS

Open your heart to smart design

Kilig has many smart solutions. Its design is in the spirit of practicality and robustness, combining form and function. An example? The new design of the panelling below the drop-down bed, with incorporated LED strips. The new smart bathrooms for Kilig 4, 5, 9 and 18 Plus, with shelf and seat. The detachable storage locker lamp that can be used as an accessory light for searching in the dark. Or the multi-purpose magnetic kitchen panel. But there's more. You'll love the combinations of colours and fabrics, the table with sliding system on the floor on the semi-dinettes, to make even more room for comfort, and the locks of the storage locker that open and close with a click.

The choice of lay-out is dedicated to all types of travellers. You will find the ideal bed for your needs: twin beds, bunk beds, central bed, transverse bed, and electrically controlled XXL front drop-down bed. Then there is the in-depth study of the exterior, such as the design of the fairing of the new concept profile models, flush with the sides to optimise the aerodynamics.

- 1 **Kitchen sink with lid and folding mixer tap**
- 2 **New semi-dinette table with sliding system:** more leg room both when driving and when parked



- 3 New smart multi-purpose bathrooms with shelf in Kilig 4, 5, 9 and 18 Plus
- 4 Multi-purpose magnetic kitchen panel
- 5 Slim 141 L fridge on all models



- 6 Openable skyview (optional)
- 7 On the profiled models, the driver's cabin is incorporated in the living area, with the fairing upholstered in soft touch fabric



- 8 **New detachable tubular garage lamp** that becomes a practical inspection light
- 9 **Isofix attachment points** (optional)
- 10 **Entrance door with storage pockets** (optional window)



Other features: Combi Gas heating with standard supply CP Plus digital control unit, panoramic windows with practical sliding opening handle (standard throughout the whole range), toilet with separate shower cubicle, Easyroad dinette in the face-to-face models (each of the two bench seats can be quickly transformed into comfortable travel seats), easy access cell entrance with internal step, interior surfaces in easy to wash fibreglass, LED rear guide lights, additional bed kit, dinette with ergonomic, easily adaptable cushions (optional), adjustable car headrests (except Kilig 66 Plus and 67 Plus), high-density comfort mattresses with removable covers which are anatomical and hypo-allergenic, just like at home.

Living area



L-shaped dinette



double dinette island



double dinette



face-to-face dinette



compact dinette



front/rear facing dinette

Sleeping area





XL front drop-down bed



bunk bed



double bunk beds

Kitchen



Bathroom



separate toilet and shower cubicle



toilet and shower cubicle + side-integrated washbasin



single unit with shower alongside toilet

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



KILIG₄

5953x2340 mm



 4  4  1

 1000x650






KILIG₅

6970x2340 mm



 5  4  2

 1280x850
(1080x850 on request)





KILIG₉

6970x2340 mm



 6  4  2

 1150x650




 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)






KILIG 50

7286x2340 mm



 6  6  0

 n.1 950x1350
n.1 950x1150






KILIG 669

7308x2340 mm



 5  4  1

 750x850
(1150x850 on request)



KILIG 695

7308x2340 mm



 5  4  1

 1050x850

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

KILIG 18 PLUS

5953x2340 mm



4





4



1



1000x650



KILIG 66 PLUS

7338x2340 mm



4





4



0



750x850
(1150x850 on request)



KILIG 67 PLUS

6449x2340 mm



4





2



2




1050x630





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



KILIG 69 PLUS

7308x2340 mm



5





4



1



750x850
(1150x850 on request)



KILIG 95 PLUS

7308x2340 mm



5



4



1



1050x850

KILIG

Technical data



Technical data

KILIG
4



5953x2340 mm



4




4



1



1000x650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3300
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	5953
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2795
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	920x2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1230x2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	73 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1000 x 650
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
5



6970x2340 mm



5




4



2



1280x850
(1080x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2857
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Front drop-down bed	-
Rear single bed	-
Rear double bed	1300x2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
9



6970x2340 mm



6





4



2



1150x650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2943
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	800x2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1150 x 650
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
50



7286x2340 mm



6




6



0



n.1 950x1350
n.1 950x1150



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7286
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2975
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths (opt)	0
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	n.2 780 x 2000
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	n.1 950 x 1350
H (mm) x W (mm)	n.1 950 x 1150
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
669



7308x2340 mm



5




4



1



750x850
(1150x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2920
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	1040X2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1400x1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
695



7308x2340 mm



5




4



1



1050x850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2920
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	1040x2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	n.1 800 x 2025 n.1 800 x 2100
Rear double bed	with extension: 1400 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 850
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
18 PLUS



5953x2340 mm



4




4



1



1000x650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3300
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	5953
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2755
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	920 x 2200
Centre dinette double bed	-
Front drop-down bed	980 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1230 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	73 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1000 x 650
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
66 PLUS



7338x2340 mm



4




4



0



750x850
(1150x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7338
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2913
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	0
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
67 PLUS



6449x2340 mm



4




2



2



1050x630



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6449
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2880
Maximum overall weight (kg)***	3500

BEDS

Berths	2
Assemblable berths (opt)	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1400x2200
Front drop-down bed	1370x2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	73 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 630
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
69 PLUS



7308x2340 mm



5




4



1



750x850
(1150x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2894
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	1040 X 2200
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

KILIG
95 PLUS



7308x2340 mm



5




4



1



1050x850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2894
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	1040 X 2200
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.1: 800 x 2025 - n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 850
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

SEAL



All sizes of fun

Camper life designed around you

With fourteen models to choose from in either low profile or overcab version, and lots of customisation options, Seal is the perfect starting point. Utmost compactness or lots of room, with a wide range of bedding and living area options.

You can choose a central bed like the one you have at home or the versatile comfort of a rear transverse bed. And let's not forget the rest of the family and friends, with bunk beds. And choose to feel as if you are in your lounge at home, with the face-to face dinette. Discover all the new details: the fairing upholstered in soft touch fabric and the panel with practical storage compartments below the drop-down bed. No matter how great your yearning for adventure is, Seal has the answer.



French bed
SEAL 3

Transverse bed
SEAL 5
SEAL 8

Bunk beds
SEAL 9

Double bunk beds
SEAL 50

Twin beds
SEAL 69S



French bed
SEAL 12 P

Central bed
SEAL 66 PLUS
SEAL 68 PLUS
SEAL 69 PLUS

Twin beds
SEAL 95 PLUS
SEAL 98 P
SEAL 99 PLUS


XL Front drop-down bed
SEAL 67 PLUS

Let your enthusiasm guide you, in complete comfort

Seal takes you wherever you want to go so you can enjoy yourself to the full just a step away from where you want to be. The Easyroad face-to-face dinettes have a new configuration system that allows you to transform the comfy seats into homologated ones in an even more practical and rapid way.

The many details will make your travels even more comfortable, like the fairing upholstered in soft touch fabric that pulls together the driver's cabin and the living area. Or the new panel below the drop-down bed with handy storage alcoves upholstered in automotive fabric, to have everything you need at your fingertips. Then there is a solution that makes your living area even more versatile: a sliding system on the floor for the table of the semi-dinette that offers you maximum comfort both while driving and when parked. Many innovative solutions to offer you maximum liveability.

- ❶ **New fairing upholstered in soft touch fabric**
- ❷ **New panel below the drop-down bed with new storage compartments**



- 3 New table leg on the semi-dinette with sliding system on the floor
- 4 Kitchen with 3-burner hob and sink with lid
- 5 Decorative kitchen panel made of easy-to-clean, foodsafe material



- 6 Isofix attachment points
(optional)
- 7 Overcab with pneumatic slatted
bases
- 8 Padded panel under overcab
- 9 Quilted upholstery combined
with microfibre (durable,
washable and water-repellent)



- 10 New door with outdoor LED ceiling light as standard
- 11 Entrance panel equipped with storage pockets (and integrated LED)



Other features: new garage ceiling light, new roof ceiling light, Combi Gas heating with CP Plus digital control unit as standard, openable Skyview (optional), panoramic windows with comfortable sliding opening handle (standard on the whole range), toilet with separate shower cubicle and rigid shower door (except on Seal 50), Easyroad dinette in the face-to-face models (each of the two bench seats can be quickly transformed into comfortable travel seats), easy access entrance with internal step, front drop-down bed as standard on all Plus models.

Living area






face-to-face dinette



front/rear facing dinette

Sleeping area



central bed



twin beds



XL front drop-down bed



transverse bed



french bed



bunk bed



double bunk beds

Kitchen



long kitchen



long kitchen



compact kitchen

Bathroom



single unit with shower alongside toilet



full-width with closet



separate toilet and shower cubicle




single unit with shower in back

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL³

6483x2340 mm



6





6



2



450x1000



SEAL⁵

7153x2340 mm



6





6



2



1280x850
(1080x850 on request)



SEAL⁸

6838x2340 mm



5




6



2



1280x850
(1080x850)




 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

*+1 extra bed



SEAL 9

7303x2340 mm



 6

 6+1

 2+1*

 1300x700



SEAL 50

7343x2340 mm





 6

 6

 0

 n.2: 950x1350



SEAL 695

7353x2340 mm



 4

 6


 2

 1050x750

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL^{**} 12 P

6483x2340 mm



6



4





2



450x1000

^{**}also available with drop-down bed (OPT)



SEAL 66 PLUS

7443x2340 mm



4





4



0



750x770
(1200x770 on request)



SEAL 67 PLUS

6450x2340 mm



4





4



2




1050x630





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



SEAL 68 PLUS

6973x2340 mm



5





5



1



750x750



SEAL 69 PLUS

7353x2340 mm



4





5



1



750x750
(1200x750 on request)



SEAL 95 PLUS

7353x2340 mm



4



5



1




1050x750

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL^{**} 98 P

6868x2340 mm



5



3





1



1050x850

^{**}also available with drop-down bed
(OPT)



SEAL 99 PLUS

7443x2340 mm



4





4



0



1050x750



SEAL

Technical data



Technical data

SEAL
3

FIAT
PROFESSIONAL



6483x2340 mm



6





6



2



450x1000



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6483
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2852
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	450 x 1000
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
5

FIAT
PROFESSIONAL



7153x2340 mm



6




6



2



1280x850
(1080x850
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7153
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2956
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	1356 x 2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
8

FIAT
PROFESSIONAL



6838x2340 mm



5



6



2



1280x850
(1080x850)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6838
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2961
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1100 x 2200
Front drop-down bed	-
Rear single bed	-
Rear double bed	1356 x 2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
9

FIAT
PROFESSIONAL



7303x2340 mm



6




6+1



2+1*



1300x700



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7303
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2888
Maximum overall weight (kg)***	3500

BEDS

Berths	6 +1
Assemblable berths	2+1
Overcab double bed	1460 x 2200
Centre dinette single bed	680 x 1430
Centre dinette double bed	1250 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	920 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1300 x 700
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
50

FIAT
PROFESSIONAL



7343x2340 mm



6



6



0



n.2: 950x1350



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7343
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2972
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	-
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	n.2: 710 x 2000
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	n.2:
H (mm) x W (mm)	950 x 1350
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
695

FIAT
PROFESSIONAL



7353x2340 mm



4




6



2



1050x750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3057
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1100x2200
Front drop-down bed	-
Rear single bed	n.1: 810 x 1975 n.1: 750 x 2040
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL **
12 P

FIAT
PROFESSIONAL



6483x2340 mm



6





4



2



450x1000



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6483
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2863
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	1380 x 2000 (OPT)**
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	-

**also available with drop-down bed (OPT)

***for legal information about the weights see page 109

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions) H (mm) x W (mm)	450 x 1000
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

Technical data

SEAL
66 PLUS

FIAT
PROFESSIONAL



7443x2340 mm



4




4



0



750x770
(1200x770
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7443
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3125
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 770 (1200x770 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
67 PLUS

FIAT
PROFESSIONAL



6450x2340 mm



4




4



2



1050x630



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6450
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2892
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1400 x 2200
Front drop-down bed	1370 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 630
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
68 PLUS

FIAT
PROFESSIONAL



6973x2340 mm



5





5



1



750x750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6973
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	3044
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1050 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1880
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
69 PLUS

FIAT
PROFESSIONAL



7353x2340 mm



4




5



1



750x750
(1200x750
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3056
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1100 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 750 (1200 x 750 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL
95 PLUS

FIAT
PROFESSIONAL



7353x2340 mm



4




5



1



1050x750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3056
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1100 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.1: 810 x 1975 - n.1: 750 x 2040
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

SEAL **
98 P

FIAT
PROFESSIONAL



6868x2340 mm



5



3



1



1050x850



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6868
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2911
Maximum overall weight (kg)***	3500

BEDS

Berths	3
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1170 x 2200
Centre dinette double bed	-
Front drop-down bed	1380 x 2000 (OPT)**
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.2: 750 x 1933
Rear double bed	with extension: 1500 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	89 l.
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions) H (mm) x W (mm)	1050 x 850
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

**also available with drop-down bed (OPT)

***for legal information about the weights see page 109

Technical data

SEAL
99 PLUS

FIAT
PROFESSIONAL



7443x2340 mm



4




4



0



1050x750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7443
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3104
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.1: 810 x 1914 n.1: 750 x 1986
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

EVO



Smart finds its space

The strength is in the smart solutions

Evo is the most innovative expression of the Rimor tradition: reliable and practical choices. Sporty lines and a modern design make Evo the ideal range for any destination. From the mountains to the sea, the countryside to the city, you will be able to appreciate the high-quality features and comfortable drive, not to mention all the customisation options.

There are two overcab versions under 7 metres – the surprising Evo Sound with 6 homologated seats and 7 beds, and the Evo 5 with the largest garage in its category. Then there is the unique-in-class Evo 77 Plus, with double dinette and double drop-down bed. The Evo 69 Plus has a central bed just like the one you've got at home, and the Evo 95 Plus has twin beds that convert into a spacious king-size.



Transverse bed
EVO 5

Bunk bed
EVO SOUND



Central bed
EVO 66 PLUS
EVO 69 PLUS

Two drop-down beds
EVO 77 PLUS

Twin beds
EVO 95 PLUS

Comfort is already on the road


Evo brings you smart solutions. Starting from the fairing upholstered in soft touch fabric that pulls together the driver's cabin and the sleeping area. The look of the interiors will amaze you, with sophisticated style and elements of design like the new panel below the drop-down bed with handy storage alcoves upholstered in automotive fabric. The large and spacious living areas of Evo 69 Plus and 95 Plus, and to the bathroom areas of Evo 66 Plus and 69 Plus offer maximum liveability. The exteriors have an extra gear too, the new door with outdoor LED ceiling light and the new rear with new lights, rear columns and rear LED guide lights.

1 New fairing upholstered in soft touch fabric

2 New panel below the drop-down bed with new storage compartments



- 3 **New detachable tubular garage light** that becomes a practical inspection lamp
- 4 **Kitchen sink with lid and folding mixer tap**
- 5 **Slim 141 L fridge** with automatic switch system as standard
- 6 **Storage system with elastic straps** which adapt to all your storage needs



- 7 Exclusive layout with double dinette and double dropdown bed (Evo 77 Plus)



- 8 New door with outdoor LED ceiling light as standard
- 9 New bumpers and rear columns, third brake light and rear guide lights with LED strip
- 10 Isofix attachment points (optional)



Other features: new table leg on the semi-dinette with sliding system on the floor, new garage ceiling light, new roof ceiling light, standard front drop-down bed in all profile models, Combi Gas heating with standard supply CP Plus digital control unit, curved doors with damper hinges, bathroom door with frame, overcab bed with pneumatic slatted base, new LED light guide rear lights, ergonomic dinette seats with adjustable headrests, new living area panoramic window with practical sliding opening handle, adjustable spotlights, openable skyview (optional).

Living area



L-shaped dinette



face-to-face dinette



double dinette



front + rear dinette



Sleeping area



double drop-down beds



central bed



transverse bed



bunk bed




twin beds

Kitchen



Bathroom



 certified seats

 berths

 assemblable berths


 garage (access door dimensions)
H (mm) x W (mm)



EVO 5

6970x2340 mm



 5  6  2

 1280x850
(1080x850 on request)



EVO SOUND

6970x2340 mm



 6  7  3

 950x1350






EVO 66 PLUS

7338x2340 mm



 4  4  0


 750x850
(1150x850 on request)





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



EVO 69 PLUS

7308x2340 mm



5





5



1



750x850
(1150x850 on request)



EVO 77 PLUS

6970x2340 mm



5





5



1



550x700



EVO 95 PLUS

7308x2340 mm



5



5



1



1050x850

EVO

Technical data



Technical data

EVO
5



6970x2340 mm



5




6



2



1280x850
(1080x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2857
Maximum overall weight (kg)***	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Double bed rear sitting area	-
Front drop-down bed	-
Rear drop-down bed	-
Rear single bed	-
Rear double bed	1300x2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

EVO
SOUND



6970x2340 mm



6



7



3



950x1350



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Declared weight in running order (kg)***	2889
Maximum overall weight (kg)***	3500

BEDS

Berths	7
Assemblable berths	3
Overcab double bed	1430x2200
Centre dinette single bed	660x1594
Centre dinette double bed	1290x1890
Double bed rear sitting area	-
Front drop-down bed	-
Rear drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	785 x 1900
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	950 x 1350
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

***for legal information about the weights see page 109

Technical data

EVO
66 PLUS



7338x2340 mm



4




4



0



750x850
(1150x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7338
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	2913
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear drop-down bed	-
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 60 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

EVO
69 PLUS



7308x2340 mm



5




5



1



750x850
(1150x850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2894
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1040 x 2200
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear drop-down bed	-
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

EVO
77 PLUS



6970x2340 mm



5





5



1



550x700



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2900
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	750 x 2200
Centre dinette double bed	-
Double bed rear sitting area	on request (1400 x 2200)
Front drop-down bed	1215 x 2000
Rear drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	550 x 700
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109

Technical data

EVO
95 PLUS



7308x2340 mm



5




5



1



1050x850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Declared weight in running order (kg)***	2894
Maximum overall weight (kg)***	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1040 x 2200
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear drop-down bed	-
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.1: 800 x 2025 - n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 850
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

***for legal information about the weights see page 109



SUPER BRIG



Comfort has set sail

Italian design and splendid nautical-style finish

Super Brig is Rimor's highest expression of luxury on the road. Enjoy the luxury feeling of the flagship beloved by its founder, Luano Niccolai, available in low profile and overcab versions.

Top-of-the-range equipment, refined materials and spacious living areas are just some of the features that will surprise you. Super Brig is the vehicle without compromises dedicated to true enthusiasts.



Transverse bed
SUPER BRIG 687 TC

Twin beds
SUPER BRIG 695 TC

Rear suite bed
SUPER BRIG SUITE



Central bed
SUPER BRIG 69 PLUS

Transverse bed
SUPER BRIG 87 PLUS

Twin beds
SUPER BRIG 95 PLUS


Your craving for freedom has a safe haven

Book your first-class seat with Super Brig. Live your open air experience to the fullest without having to sacrifice anything. Start by choosing from a range of bedding options, all of which are designed to make sure your rest is as comfortable as possible: double, transverse, suite and twin beds that can convert to king size. All profile models also have a comfortable front drop-down bed as standard. The equipment is also top of the range: new adjustable car headrests, 153 L refrigerator column and pull-out mixer tap for the kitchen sink, deluxe upholstery and an XL panoramic porthole that can be opened for the overcab. The Suite model, much-loved for its comfortable double dinettes, adds a combi-oven with grill and hob to its spacious kitchen.

- 1 **3-burner cooker hob**
- 2 **Combi-oven with grill and hob** on the Suite model
- 3 **Pull-out kitchen sink mixer tap**
- 4 **Cleverly-designed kitchen** with integrated double-level drawer



- 5 **153 L refrigerator column which can be opened from both sides**
- 6 **Twin beds with pneumatic slatted bases and storage compartments on 95 Plus and 695 models**
- 7 **Bright overcab with deluxe lining**
- 8 **Practical sliding blind with integrated fly-screen**
- 9 **Isofix attachment points (optional)**



Other features: front drop-down bed as standard on all low-profile models, Combi Gas heating with CP Plus digital control unit as standard, curved cabinets with damper hinges, improved interior height underneath the drop-down bed (192 cm), overcab bed with pneumatic slatted bases.

Living area



Sleeping area



Kitchen



compact kitchen



long kitchen

Bathroom



 certified seats

 berths

 assemblable berths


 garage (access door dimensions)
H (mm) x W (mm)

SUPER BRIG 687 TC

7173x2340 mm



 4  4  0

 1280x850
(1080x850 on request)





SUPER BRIG 695 TC

7373x2340 mm



 4  4  0

 1150x850





SUPER BRIG SUITE

7173x2340 mm



 4  4  2

 550x700





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)






SUPER BRIG 69 PLUS

7373x2340 mm



 4  4  0

 750x850
(1280x850 on request)






SUPER BRIG 87 PLUS

7173x2340 mm



 4  4  0

 1280x850
(1080x850 on request)



SUPER BRIG 95 PLUS

7373x2340 mm



 4  4  0

 1150x850

SUPER BRIC

Technical data



Technical data

SUPER BRIG

687 TC

FIAT
PROFESSIONAL



7173x2340 mm



4



4



0



1280x850
(1080x850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3136
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	1400 x 2110
Double bed rear sitting area	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1320 x 2200
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT


Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

***for legal information about the weights see page 109

Technical data

SUPER BRIG
695 TC

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



1150x850

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3141
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	1400 x 2110
Double bed rear sitting area	-
Front drop-down bed	-
Rear single bed	n.1: 800 x 1935 n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions)	1150 x 850
H (mm) x W (mm)	
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

***for legal information about the weights see page 109

Technical data

SUPER BRIG SUITE

FIAT
PROFESSIONAL



7173x2340 mm



4





4



2



550x700



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3144
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	2
Overcab double bed	1400 x 2110
Double bed rear sitting area	1525 x 2200
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	✓
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions)	550 x 700
H (mm) x W (mm)	
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-


***for legal information about the weights see page 109

Technical data

SUPER BRIG

69 PLUS

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



750x850
(1280x850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3142
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1360 x 1880
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1280 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-



***for legal information about the weights see page 109

Technical data

SUPER BRIG

87 PLUS

FIAT
PROFESSIONAL



7173x2340 mm



4



4



0



1280x850
(1080x850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3005
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1380 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	-
Rear double bed	1320 x 2200
Rear drop-down double bed	on request

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-


***for legal information about the weights see page 109

Technical data

SUPER BRIG

95 PLUS

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



1150x850

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140
Radio	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Declared weight in running order (kg)***	3132
Maximum overall weight (kg)***	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Drop-down bed maximum static load capacity (kg)	300
Rear single bed	n.1: 800 x 1935 n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)***	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions)	1150 x 850
H (mm) x W (mm)	
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

***for legal information about the weights see page 109



Mechanical units

Safety and reliability in the driving seat

Ford Transit



As standard:

- Driving seat armrests
- On-board computer
- Cruise control
- Double airbag
- Central locking
- Electric windows
- Electric rear-view mirrors
- ABS (anti-lock braking system)
- Hill-start assist
- USB/MP3/BLEETOOTH radio with steering wheel mounted controls

Fiat Ducato X250




As standard:

- Comfort Plus "Captain Chair" seats: built-in headrests, an even broader back and two armrests with height and incline adjustment
- Cruise control
- Double Airbag
- Central locking
- Radio predisposition and speakers
- Electric windows
- Electric rear-view mirrors
- ABS (anti-block braking system)
- Side mirror-integrated DAB antenna, standard

Fabrics

Kilig




Glace
(standard)

Evo



Noix
(standard)



Myrtille
(optional)

Seal




Noisette
(standard)




Cerise
(optional)


Super Brig



Vanille
(standard)



Pistache
(optional)



Champagne
(eco-leather optional)

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.



Legal information about the weights

Mass in running order

The mass in running order of the type-approved vehicle includes: driver, fuel tank filled to 90% of its capacity, clean water tank filled to 20 l (using the special discharge valve) and gas cylinders (max. 15 kg) filled to 90% of their capacity.

The calculated mass in running order has a tolerance of $\pm 5\%$ compared to that of point (b) defined at the time of type-approval. Everything not included in the vehicle's standard version, both living pod and chassis, increases the weight in running order with the consequent reduction in the useful load up to the possible reduction of the total number of belted seats compared the type-approved ones.

The available useful load is the difference between the maximum mass permitted with full load and the mass in running order plus the weight of the passengers. It is therefore advisable at the time of purchase to pay special attention to the weight of the optionals you intend to install on the vehicle.

Overall mass

The overall mass is the total mass of the vehicle that must not be exceeded.

Potable water tank while driving

The clean water tank must contain 20 litres of water, using the supplied discharge taps, when the vehicle is in running order.

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.

World sweet home



Continue your trip with Rimor online. Follow all our activities on our blog, Facebook and Instagram. Share all your adventures with us on social media with #Rimor



www.rimor.it

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.

